

```

<?xml version="1.0" encoding="utf-8"?>
<ArrayOfProject xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <Project>
    <!-- 项目信息 项目编号 -->
    <ProjectInfo ProjectId="zsa">
      <!-- 项目名称 -->
      <ProjectName />
      <!-- 项目类型 -->
      <ProjectType />
      <!-- 项目地址 -->
      <ProjectAddress />
      <!-- 扩展信息 -->
      <ExtendInfo />
    </ProjectInfo>
    <!-- 文档信息 文档编号 -->
    <DocumentInfo DocumentId="058e61d1-9699-40f1-ae9a-898a4622d175">
      <!-- 主版本号 -->
      <MajorVersion>1</MajorVersion>
      <!-- 次版本号 -->
      <MinorVersion>0</MinorVersion>
      <!-- 文档最后修改时间 -->
      <Modification>2024-7-30 18:06:20</Modification>
      <!-- 文档备注信息 -->
      <Comment>empty</Comment>
      <!-- 文档执行状态 -->
      <Status />
      <!-- 扩展信息 -->
      <ExtendInfo />
    </DocumentInfo>
    <!-- 设计信息 设计编号 -->
    <Designinfo DesignId="zsa">
      <!-- 设计提交时间 -->
      <DesignDate>2024-7-30 18:06:20</DesignDate>
      <!-- 设计版本号信息 -->
      <DesignRevision />
      <!-- 设计人员信息 -->
      <DesignAuthor>ddl</DesignAuthor>
      <!-- 扩展信息 -->
      <ExtendInfo />
    </Designinfo>
    <!-- 程序信息 -->
    <ApplicationInfo>
      <!-- 程序名称 -->
      <ApplicationName>Tekla</ApplicationName>
      <!-- 程序标识 -->
      <ApplicationGUID />
      <!-- 程序版本信息 -->

```

```

    <ApplicationVersion>2017 Service Pack 4</ApplicationVersion>
    <ExtendInfo />
</ApplicationInfo>
<!-- 建筑信息 -->
<BuildingInfo>
    <!-- 建筑群 -->
    <Site />
    <!-- 建筑个体 -->
    <Building />
    <!-- 楼层信息 -->
    <Storey />
    <!-- 区域信息 -->
    <SubStorey />
    <!-- 建筑坐标 -->
    <Coordinate />
    <ExtendInfo />
</ApplicationInfo>
<!-- 订单 订单编号 -->
<OrderInfo OrderId="1">
    <!-- 订单计划时间 -->
    <OrderPlanDate>2024-7-30 18:06:20</OrderPlanDate>
    <!-- 完成时间 -->
    <ActualDate>2024-7-30 18:06:20</ActualDate>
    <Comment />
    <!-- 产品信息 产品编号 -->
    <ProductInfo ProductID="zsa-叠合板示例">
        <!-- 产品类型 -->
        <ProductType>Slab</ProductType>
        <!-- 备注信息 -->
        <Comment />
        <!-- 空间坐标系 -->
        <SpaceSystem>
            <Point PointId="1">
                <X>30000</X>
                <Y>1855</Y>
                <Z>60</Z>
            </Point>
            <Point PointId="2">
                <X>30001</X>
                <Y>-1855</Y>
                <Z>-60</Z>
            </Point>
            <Point PointId="3">
                <X>30000</X>
                <Y>-1854</Y>
                <Z>-60</Z>
            </Point>
        </SpaceSystem>
    </ProductInfo>

```

```

</SpaceSystem>
<!-- 预制构件信息 构件编号 -->
<Part PartId="zsa-叠合板示例">
  <!-- 构件编码 -->
  <PartType>30-01.10.30.10</PartType>
  <!-- 构件种类 -->
  <PartVariety>15</PartVariety>
  <!-- 构件总长度 -->
  <PartLength>3200</PartLength>
  <!-- 构件总宽度 -->
  <PartWidth>2435</PartWidth>
  <!-- 构件总高度 -->
  <PartHeight />
  <!-- 混凝土强度等级 -->
  <ConcreteStrength>C30</ConcreteStrength>
  <!-- 表面工艺处理 -->
  <SurfaceTreatment />
  <!-- 左出筋 -->
  <LeftBarOut>-90</LeftBarOut>
  <!-- 右出筋 -->
  <RightBarOut>-90</RightBarOut>
  <!-- 下出筋 -->
  <BottomBarOut>-290</BottomBarOut>
  <!-- 上出筋 -->
  <TopBarOut>-290</TopBarOut>
  <!-- 构件重量 -->
  <Weight>840</Weight>
  <!-- 构件体积 -->
  <Volume>0.336</Volume>
  <!-- 轮廓信息 轮廓标识 -->
  <Edges EdgesId="0dd90a8a-34a7-461f-b627-0c510658b933">
    <!-- 高度信息 -->
    <Height>60</Height>
    <!-- 长度信息 -->
    <Length>3020</Length>
    <!-- 宽度信息 -->
    <Width>1855</Width>
    <!-- 外轮廓线 -->
    <OuterLines>
      <!-- 外轮廓线编号 -->
      <OuterLine LineId="1">
        <!-- 定位坐标点 -->
        <Points>
          <Point>
            <X>0</X>
            <Y>0</Y>
            <Z>60</Z>

```

```

        </Point>
        <Point>
            <X>3020</X>
            <Y>0</Y>
            <Z>60</Z>
        </Point>
        <Point>
            <X>3020</X>
            <Y>1855</Y>
            <Z>60</Z>
        </Point>
        <Point>
            <X>0</X>
            <Y>1855</Y>
            <Z>60</Z>
        </Point>
    </Points>
</OuterLine>
</OuterLines>
<!-- 孔洞数量 -->
<HoleCount>0</HoleCount>
<!-- 孔洞信息 -->
<Holes />
<!-- 安装方向 -->
<Direction>
    <X>0</X>
    <Y>1</Y>
    <Z>0</Z>
</Direction>
<!-- 扩展信息 -->
<ExtendInfo />
</Edges>
<MountParts>
    <!-- 部件信息 部件编号 -->
    <MountPart MountPartId="1">
        <!-- 安装顺序 -->
        <InstallationOrder>0</InstallationOrder>
        <!-- 类型编码 -->
        <MountPartType />
        <!-- 名称信息 -->
        <Name>XH1</Name>
        <!-- 描述信息 -->
        <Instruction>XH</Instruction>
        <!-- 长度信息 -->
        <Length>86</Length>
        <!-- 宽度信息 -->
        <Width>86</Width>
    </MountPart>
</MountParts>

```

```

<!-- 高度信息 -->
<Height>100</Height>
<!-- 顶部中心定位点 -->
<TopCenterPoint>
  <X>1745</X>
  <Y>1155</Y>
  <Z>0</Z>
</TopCenterPoint>
<!-- 材质信息 -->
<Texture>PVC</Texture>
<ExtendInfo />
</MountPart>
</MountParts>
<Steel>
  <Bar>
    <!-- 单根钢筋 钢筋编号 -->
    <Bar BarId="1">
      <!-- 安装顺序 -->
      <InstallationOrder>0</InstallationOrder>
      <!-- 类型编码 -->
      <ReinforcementType>30-03.10.10.20</ReinforcementType>
      <!-- 描述信息 纵筋 -->
      <Instruction>YR</Instruction>
      <!-- 钢筋型号 -->
      <Grade>HRB400</Grade>
      <!-- 钢筋形状 -->
      <Shape />
      <!-- 分段数 -->
      <PieceCount>1</PieceCount>
      <!-- 钢筋直径 -->
      <Diameter>8</Diameter>
      <!-- 钢筋弯钩 -->
      <Hook>
        <!-- 起始端弯钩角度 -->
        <StartHookAngle>0</StartHookAngle>
        <!-- 起始端弯钩半径 -->
        <StartHookRadius>0</StartHookRadius>
        <!-- 起始端弯钩长度 -->
        <StartHookLength>0</StartHookLength>
        <!-- 终止端弯钩角度 -->
        <EndHookAngle>0</EndHookAngle>
        <!-- 终止端弯钩半径 -->
        <EndHookRadius>0</EndHookRadius>
        <!-- 终止端弯钩长度 -->
        <EndHookLength>0</EndHookLength>
      </Hook>
      <!-- 中心线定位 -->

```

```

    <CenterLine>
      <Point>
        <X>2995</X>
        <Y>15</Y>
        <Z>19</Z>
      </Point>
      <Point>
        <X>2995</X>
        <Y>1840</Y>
        <Z>19</Z>
      </Point>
    </CenterLine>
    <!-- 长度 -->
    <Length>1820</Length>
    <!-- 重量 -->
    <Weight>0.719</Weight>
    <!-- 扩展信息 -->
    <ExtendInfo />
  </Bar>
</Bar>
<!-- 钢筋网片 网片编号 -->
<Mesh MeshId="1">
  <!-- 安装顺序 -->
  <InstallationOrder>0</InstallationOrder>
  <!-- 类型编码 -->
  <MeshType>30-03.10.10.50</MeshType>
  <!-- 网片最大长度 -->
  <MeshMaxLength>3200</MeshMaxLength>
  <!-- 网片最大宽度 -->
  <MeshMaxWidth>2435</MeshMaxWidth>
  <!-- 长边方向 0-长边横向 1-长边竖向-->
  <LongDirection>0</LongDirection>
  <!-- 横筋数量 -->
  <XBarsCount>9</XBarsCount>
  <!-- 纵筋数量 -->
  <YBarsCount>20</YBarsCount>
  <!-- 连接方式 0-焊接 1-绑扎 -->
  <MeshBarConnectType>0</MeshBarConnectType>
  <!-- 孔洞数量 -->
  <HoleCount>0</HoleCount>
  <!-- 孔洞信息 -->
  <Holes />
  <!-- 网片定位信息 -->
  <MeshLocation>
    <!-- 中心点定位 -->
    <CenterPoint>
      <X>1510</X>

```

```

        <Y>928</Y>
        <Z>27</Z>
    </CenterPoint>
    <!-- 左下角点定位 -->
    <LeftDownPoint>
        <X>-90</X>
        <Y>-290</Y>
        <Z>27</Z>
    </LeftDownPoint>
    <!-- 右下角点定位 -->
    <RightDownPoint>
        <X>3110</X>
        <Y>-290</Y>
        <Z>27</Z>
    </RightDownPoint>
    <!-- 右上角点定位 -->
    <RightUpPoint>
        <X>3110</X>
        <Y>2145</Y>
        <Z>27</Z>
    </RightUpPoint>
    <!-- 左上角点定位 -->
    <LeftUpPoint>
        <X>-90</X>
        <Y>2145</Y>
        <Z>27</Z>
    </LeftUpPoint>
</MeshLocation>
<MeshBar>
    <Bar BarId="1">
        <InstallationOrder>0</InstallationOrder>
        <ReinforcementType>XR</ReinforcementType>
        <Grade>HRB400</Grade>
        <Shape />
        <PieceCount>1</PieceCount>
        <Diameter>8</Diameter>
        <Hook>
            <StartHookAngle>0</StartHookAngle>
            <StartHookRadius>0</StartHookRadius>
            <StartHookLength>0</StartHookLength>
            <EndHookAngle>0</EndHookAngle>
            <EndHookRadius>0</EndHookRadius>
            <EndHookLength>0</EndHookLength>
        </Hook>
        <CenterLine>
            <Point>
                <X>3110</X>

```

```

        <Y>25</Y>
        <Z>27</Z>
    </Point>
    <Point>
        <X>-90</X>
        <Y>25</Y>
        <Z>27</Z>
    </Point>
</CenterLine>
<Length>3200</Length>
<Weight>1.264</Weight>
<ExtendInfo />
</Bar>
<Bar BarId="2">
    <InstallationOrder>0</InstallationOrder>
    <ReinforcementType>XR</ReinforcementType>
    <Grade>HRB400</Grade>
    <Shape />
    <PieceCount>1</PieceCount>
    <Diameter>8</Diameter>
    <Hook>
        <StartHookAngle>0</StartHookAngle>
        <StartHookRadius>0</StartHookRadius>
        <StartHookLength>0</StartHookLength>
        <EndHookAngle>0</EndHookAngle>
        <EndHookRadius>0</EndHookRadius>
        <EndHookLength>0</EndHookLength>
    </Hook>
    <CenterLine>
        <Point>
            <X>3110</X>
            <Y>325</Y>
            <Z>27</Z>
        </Point>
        <Point>
            <X>-90</X>
            <Y>325</Y>
            <Z>27</Z>
        </Point>
    </CenterLine>
    <Length>3200</Length>
    <Weight>1.264</Weight>
    <ExtendInfo />
</Bar>
<Bar BarId="3">
    <InstallationOrder>0</InstallationOrder>
    <ReinforcementType>XR</ReinforcementType>

```

```

<Grade>HRB400</Grade>
<Shape />
<PieceCount>1</PieceCount>
<Diameter>8</Diameter>
<Hook>
  <StartHookAngle>0</StartHookAngle>
  <StartHookRadius>0</StartHookRadius>
  <StartHookLength>0</StartHookLength>
  <EndHookAngle>0</EndHookAngle>
  <EndHookRadius>0</EndHookRadius>
  <EndHookLength>0</EndHookLength>
</Hook>
<CenterLine>
  <Point>
    <X>3110</X>
    <Y>475</Y>
    <Z>27</Z>
  </Point>
  <Point>
    <X>-90</X>
    <Y>475</Y>
    <Z>27</Z>
  </Point>
</CenterLine>
<Length>3200</Length>
<Weight>1.264</Weight>
<ExtendInfo />
</Bar>
<Bar BarId="4">
  <InstallationOrder>0</InstallationOrder>
  <ReinforcementType>XR</ReinforcementType>
  <Grade>HRB400</Grade>
  <Shape />
  <PieceCount>1</PieceCount>
  <Diameter>8</Diameter>
  <Hook>
    <StartHookAngle>0</StartHookAngle>
    <StartHookRadius>0</StartHookRadius>
    <StartHookLength>0</StartHookLength>
    <EndHookAngle>0</EndHookAngle>
    <EndHookRadius>0</EndHookRadius>
    <EndHookLength>0</EndHookLength>
  </Hook>
  <CenterLine>
    <Point>
      <X>3110</X>
      <Y>775</Y>
    </Point>
  </CenterLine>

```

```

        <Z>27</Z>
    </Point>
    <Point>
        <X>-90</X>
        <Y>775</Y>
        <Z>27</Z>
    </Point>
</CenterLine>
<Length>3200</Length>
<Weight>1.264</Weight>
<ExtendInfo />
</Bar>
<Bar BarId="5">
    <InstallationOrder>0</InstallationOrder>
    <ReinforcementType>XR</ReinforcementType>
    <Grade>HRB400</Grade>
    <Shape />
    <PieceCount>1</PieceCount>
    <Diameter>8</Diameter>
    <Hook>
        <StartHookAngle>0</StartHookAngle>
        <StartHookRadius>0</StartHookRadius>
        <StartHookLength>0</StartHookLength>
        <EndHookAngle>0</EndHookAngle>
        <EndHookRadius>0</EndHookRadius>
        <EndHookLength>0</EndHookLength>
    </Hook>
    <CenterLine>
        <Point>
            <X>3110</X>
            <Y>925</Y>
            <Z>27</Z>
        </Point>
        <Point>
            <X>-90</X>
            <Y>925</Y>
            <Z>27</Z>
        </Point>
    </CenterLine>
    <Length>3200</Length>
    <Weight>1.264</Weight>
    <ExtendInfo />
</Bar>
<Bar BarId="6">
    <InstallationOrder>0</InstallationOrder>
    <ReinforcementType>XR</ReinforcementType>
    <Grade>HRB400</Grade>

```

```

<Shape />
<PieceCount>1</PieceCount>
<Diameter>8</Diameter>
<Hook>
  <StartHookAngle>0</StartHookAngle>
  <StartHookRadius>0</StartHookRadius>
  <StartHookLength>0</StartHookLength>
  <EndHookAngle>0</EndHookAngle>
  <EndHookRadius>0</EndHookRadius>
  <EndHookLength>0</EndHookLength>
</Hook>
<CenterLine>
  <Point>
    <X>3110</X>
    <Y>1075</Y>
    <Z>27</Z>
  </Point>
  <Point>
    <X>-90</X>
    <Y>1075</Y>
    <Z>27</Z>
  </Point>
</CenterLine>
<Length>3200</Length>
<Weight>1.264</Weight>
<ExtendInfo />
</Bar>
<Bar BarId="7">
  <InstallationOrder>0</InstallationOrder>
  <ReinforcementType>XR</ReinforcementType>
  <Grade>HRB400</Grade>
  <Shape />
  <PieceCount>1</PieceCount>
  <Diameter>8</Diameter>
  <Hook>
    <StartHookAngle>0</StartHookAngle>
    <StartHookRadius>0</StartHookRadius>
    <StartHookLength>0</StartHookLength>
    <EndHookAngle>0</EndHookAngle>
    <EndHookRadius>0</EndHookRadius>
    <EndHookLength>0</EndHookLength>
  </Hook>
  <CenterLine>
    <Point>
      <X>3110</X>
      <Y>1375</Y>
      <Z>27</Z>
    </Point>
  </CenterLine>

```

```

    </Point>
    <Point>
      <X>-90</X>
      <Y>1375</Y>
      <Z>27</Z>
    </Point>
  </CenterLine>
  <Length>3200</Length>
  <Weight>1.264</Weight>
  <ExtendInfo />
</Bar>
<Bar BarId="8">
  <InstallationOrder>0</InstallationOrder>
  <ReinforcementType>XR</ReinforcementType>
  <Grade>HRB400</Grade>
  <Shape />
  <PieceCount>1</PieceCount>
  <Diameter>8</Diameter>
  <Hook>
    <StartHookAngle>0</StartHookAngle>
    <StartHookRadius>0</StartHookRadius>
    <StartHookLength>0</StartHookLength>
    <EndHookAngle>0</EndHookAngle>
    <EndHookRadius>0</EndHookRadius>
    <EndHookLength>0</EndHookLength>
  </Hook>
  <CenterLine>
    <Point>
      <X>3110</X>
      <Y>1525</Y>
      <Z>27</Z>
    </Point>
    <Point>
      <X>-90</X>
      <Y>1525</Y>
      <Z>27</Z>
    </Point>
  </CenterLine>
  <Length>3200</Length>
  <Weight>1.264</Weight>
  <ExtendInfo />
</Bar>
<Bar BarId="9">
  <InstallationOrder>0</InstallationOrder>
  <ReinforcementType>XR</ReinforcementType>
  <Grade>HRB400</Grade>
  <Shape />

```

```

<PieceCount>1</PieceCount>
<Diameter>8</Diameter>
<Hook>
  <StartHookAngle>0</StartHookAngle>
  <StartHookRadius>0</StartHookRadius>
  <StartHookLength>0</StartHookLength>
  <EndHookAngle>0</EndHookAngle>
  <EndHookRadius>0</EndHookRadius>
  <EndHookLength>0</EndHookLength>
</Hook>
<CenterLine>
  <Point>
    <X>3110</X>
    <Y>1825</Y>
    <Z>27</Z>
  </Point>
  <Point>
    <X>-90</X>
    <Y>1825</Y>
    <Z>27</Z>
  </Point>
</CenterLine>
<Length>3200</Length>
<Weight>1.264</Weight>
<ExtendInfo />
</Bar>
<Bar BarId="10">
  <InstallationOrder>0</InstallationOrder>
  <ReinforcementType>YR</ReinforcementType>
  <Grade>HRB400</Grade>
  <Shape />
  <PieceCount>5</PieceCount>
  <Diameter>8</Diameter>
  <Hook>
    <StartHookAngle>135</StartHookAngle>
    <StartHookRadius>16</StartHookRadius>
    <StartHookLength>87</StartHookLength>
    <EndHookAngle>135</EndHookAngle>
    <EndHookRadius>16</EndHookRadius>
    <EndHookLength>87</EndHookLength>
  </Hook>
  <CenterLine>
    <Point>
      <X>2900</X>
      <Y>-252</Y>
      <Z>81</Z>
    </Point>

```

```

    <Point>
      <X>2900</X>
      <Y>-286</Y>
      <Z>47</Z>
    </Point>
    <Point>
      <X>2900</X>
      <Y>-286</Y>
      <Z>19</Z>
    </Point>
    <Point>
      <X>2900</X>
      <Y>2141</Y>
      <Z>19</Z>
    </Point>
    <Point>
      <X>2900</X>
      <Y>2141</Y>
      <Z>47</Z>
    </Point>
    <Point>
      <X>2900</X>
      <Y>2107</Y>
      <Z>81</Z>
    </Point>
  </CenterLine>
  <Length>2560</Length>
  <Weight>1.011</Weight>
  <ExtendInfo />
</Bar>
<Bar BarId="11">
  <InstallationOrder>0</InstallationOrder>
  <ReinforcementType>YR</ReinforcementType>
  <Grade>HRB400</Grade>
  <Shape />
  <PieceCount>5</PieceCount>
  <Diameter>8</Diameter>
  <Hook>
    <StartHookAngle>135</StartHookAngle>
    <StartHookRadius>16</StartHookRadius>
    <StartHookLength>87</StartHookLength>
    <EndHookAngle>135</EndHookAngle>
    <EndHookRadius>16</EndHookRadius>
    <EndHookLength>87</EndHookLength>
  </Hook>
  <CenterLine>
    <Point>

```

```

        <X>2750</X>
        <Y>-252</Y>
        <Z>81</Z>
    </Point>
    <Point>
        <X>2750</X>
        <Y>-286</Y>
        <Z>47</Z>
    </Point>
    <Point>
        <X>2750</X>
        <Y>-286</Y>
        <Z>19</Z>
    </Point>
    <Point>
        <X>2750</X>
        <Y>2141</Y>
        <Z>19</Z>
    </Point>
    <Point>
        <X>2750</X>
        <Y>2141</Y>
        <Z>47</Z>
    </Point>
    <Point>
        <X>2750</X>
        <Y>2107</Y>
        <Z>81</Z>
    </Point>
</CenterLine>
<Length>2560</Length>
<Weight>1.011</Weight>
<ExtendInfo />
</Bar>
<Bar BarId="12">
    <InstallationOrder>0</InstallationOrder>
    <ReinforcementType>YR</ReinforcementType>
    <Grade>HRB400</Grade>
    <Shape />
    <PieceCount>5</PieceCount>
    <Diameter>8</Diameter>
    <Hook>
        <StartHookAngle>135</StartHookAngle>
        <StartHookRadius>16</StartHookRadius>
        <StartHookLength>87</StartHookLength>
        <EndHookAngle>135</EndHookAngle>
        <EndHookRadius>16</EndHookRadius>
    </Hook>

```

```

        <EndHookLength>87</EndHookLength>
    </Hook>
    <CenterLine>
        <Point>
            <X>2600</X>
            <Y>-252</Y>
            <Z>81</Z>
        </Point>
        <Point>
            <X>2600</X>
            <Y>-286</Y>
            <Z>47</Z>
        </Point>
        <Point>
            <X>2600</X>
            <Y>-286</Y>
            <Z>19</Z>
        </Point>
        <Point>
            <X>2600</X>
            <Y>2141</Y>
            <Z>19</Z>
        </Point>
        <Point>
            <X>2600</X>
            <Y>2141</Y>
            <Z>47</Z>
        </Point>
        <Point>
            <X>2600</X>
            <Y>2107</Y>
            <Z>81</Z>
        </Point>
    </CenterLine>
    <Length>2560</Length>
    <Weight>1.011</Weight>
    <ExtendInfo />
</Bar>
<Bar BarId="13">
    <InstallationOrder>0</InstallationOrder>
    <ReinforcementType>YR</ReinforcementType>
    <Grade>HRB400</Grade>
    <Shape />
    <PieceCount>5</PieceCount>
    <Diameter>8</Diameter>
    <Hook>
        <StartHookAngle>135</StartHookAngle>

```

```

        <StartHookRadius>16</StartHookRadius>
        <StartHookLength>87</StartHookLength>
        <EndHookAngle>135</EndHookAngle>
        <EndHookRadius>16</EndHookRadius>
        <EndHookLength>87</EndHookLength>
    </Hook>
    <CenterLine>
        <Point>
            <X>2450</X>
            <Y>-252</Y>
            <Z>81</Z>
        </Point>
        <Point>
            <X>2450</X>
            <Y>-286</Y>
            <Z>47</Z>
        </Point>
        <Point>
            <X>2450</X>
            <Y>-286</Y>
            <Z>19</Z>
        </Point>
        <Point>
            <X>2450</X>
            <Y>2141</Y>
            <Z>19</Z>
        </Point>
        <Point>
            <X>2450</X>
            <Y>2141</Y>
            <Z>47</Z>
        </Point>
        <Point>
            <X>2450</X>
            <Y>2107</Y>
            <Z>81</Z>
        </Point>
    </CenterLine>
    <Length>2560</Length>
    <Weight>1.011</Weight>
    <ExtendInfo />
</Bar>
<Bar BarId="14">
    <InstallationOrder>0</InstallationOrder>
    <ReinforcementType>YR</ReinforcementType>
    <Grade>HRB400</Grade>
    <Shape />

```

```

<PieceCount>5</PieceCount>
<Diameter>8</Diameter>
<Hook>
  <StartHookAngle>135</StartHookAngle>
  <StartHookRadius>16</StartHookRadius>
  <StartHookLength>87</StartHookLength>
  <EndHookAngle>135</EndHookAngle>
  <EndHookRadius>16</EndHookRadius>
  <EndHookLength>87</EndHookLength>
</Hook>
<CenterLine>
  <Point>
    <X>2300</X>
    <Y>-252</Y>
    <Z>81</Z>
  </Point>
  <Point>
    <X>2300</X>
    <Y>-286</Y>
    <Z>47</Z>
  </Point>
  <Point>
    <X>2300</X>
    <Y>-286</Y>
    <Z>19</Z>
  </Point>
  <Point>
    <X>2300</X>
    <Y>2141</Y>
    <Z>19</Z>
  </Point>
  <Point>
    <X>2300</X>
    <Y>2141</Y>
    <Z>47</Z>
  </Point>
  <Point>
    <X>2300</X>
    <Y>2107</Y>
    <Z>81</Z>
  </Point>
</CenterLine>
<Length>2560</Length>
<Weight>1.011</Weight>
<ExtendInfo />
</Bar>
<Bar BarId="15">

```

```

<InstallationOrder>0</InstallationOrder>
<ReinforcementType>YR</ReinforcementType>
<Grade>HRB400</Grade>
<Shape />
<PieceCount>5</PieceCount>
<Diameter>8</Diameter>
<Hook>
  <StartHookAngle>135</StartHookAngle>
  <StartHookRadius>16</StartHookRadius>
  <StartHookLength>87</StartHookLength>
  <EndHookAngle>135</EndHookAngle>
  <EndHookRadius>16</EndHookRadius>
  <EndHookLength>87</EndHookLength>
</Hook>
<CenterLine>
  <Point>
    <X>2150</X>
    <Y>-252</Y>
    <Z>81</Z>
  </Point>
  <Point>
    <X>2150</X>
    <Y>-286</Y>
    <Z>47</Z>
  </Point>
  <Point>
    <X>2150</X>
    <Y>-286</Y>
    <Z>19</Z>
  </Point>
  <Point>
    <X>2150</X>
    <Y>2141</Y>
    <Z>19</Z>
  </Point>
  <Point>
    <X>2150</X>
    <Y>2141</Y>
    <Z>47</Z>
  </Point>
  <Point>
    <X>2150</X>
    <Y>2107</Y>
    <Z>81</Z>
  </Point>
</CenterLine>
<Length>2560</Length>

```

```

    <Weight>1.011</Weight>
    <ExtendInfo />
</Bar>
<Bar BarId="16">
    <InstallationOrder>0</InstallationOrder>
    <ReinforcementType>YR</ReinforcementType>
    <Grade>HRB400</Grade>
    <Shape />
    <PieceCount>5</PieceCount>
    <Diameter>8</Diameter>
    <Hook>
        <StartHookAngle>135</StartHookAngle>
        <StartHookRadius>16</StartHookRadius>
        <StartHookLength>87</StartHookLength>
        <EndHookAngle>135</EndHookAngle>
        <EndHookRadius>16</EndHookRadius>
        <EndHookLength>87</EndHookLength>
    </Hook>
    <CenterLine>
        <Point>
            <X>2000</X>
            <Y>-252</Y>
            <Z>81</Z>
        </Point>
        <Point>
            <X>2000</X>
            <Y>-286</Y>
            <Z>47</Z>
        </Point>
        <Point>
            <X>2000</X>
            <Y>-286</Y>
            <Z>19</Z>
        </Point>
        <Point>
            <X>2000</X>
            <Y>2141</Y>
            <Z>19</Z>
        </Point>
        <Point>
            <X>2000</X>
            <Y>2141</Y>
            <Z>47</Z>
        </Point>
        <Point>
            <X>2000</X>
            <Y>2107</Y>

```

```

        <Z>81</Z>
    </Point>
</CenterLine>
<Length>2560</Length>
<Weight>1.011</Weight>
<ExtendInfo />
</Bar>
<Bar BarId="17">
    <InstallationOrder>0</InstallationOrder>
    <ReinforcementType>YR</ReinforcementType>
    <Grade>HRB400</Grade>
    <Shape />
    <PieceCount>5</PieceCount>
    <Diameter>8</Diameter>
    <Hook>
        <StartHookAngle>135</StartHookAngle>
        <StartHookRadius>16</StartHookRadius>
        <StartHookLength>87</StartHookLength>
        <EndHookAngle>135</EndHookAngle>
        <EndHookRadius>16</EndHookRadius>
        <EndHookLength>87</EndHookLength>
    </Hook>
    <CenterLine>
        <Point>
            <X>1850</X>
            <Y>-252</Y>
            <Z>81</Z>
        </Point>
        <Point>
            <X>1850</X>
            <Y>-286</Y>
            <Z>47</Z>
        </Point>
        <Point>
            <X>1850</X>
            <Y>-286</Y>
            <Z>19</Z>
        </Point>
        <Point>
            <X>1850</X>
            <Y>2141</Y>
            <Z>19</Z>
        </Point>
        <Point>
            <X>1850</X>
            <Y>2141</Y>
            <Z>47</Z>
        </Point>
    </CenterLine>

```

```

</Point>
<Point>
  <X>1850</X>
  <Y>2107</Y>
  <Z>81</Z>
</Point>
</CenterLine>
<Length>2560</Length>
<Weight>1.011</Weight>
<ExtendInfo />
</Bar>
<Bar BarId="18">
  <InstallationOrder>0</InstallationOrder>
  <ReinforcementType>YR</ReinforcementType>
  <Grade>HRB400</Grade>
  <Shape />
  <PieceCount>5</PieceCount>
  <Diameter>8</Diameter>
  <Hook>
    <StartHookAngle>135</StartHookAngle>
    <StartHookRadius>16</StartHookRadius>
    <StartHookLength>87</StartHookLength>
    <EndHookAngle>135</EndHookAngle>
    <EndHookRadius>16</EndHookRadius>
    <EndHookLength>87</EndHookLength>
  </Hook>
  <CenterLine>
    <Point>
      <X>1700</X>
      <Y>-252</Y>
      <Z>81</Z>
    </Point>
    <Point>
      <X>1700</X>
      <Y>-286</Y>
      <Z>47</Z>
    </Point>
    <Point>
      <X>1700</X>
      <Y>-286</Y>
      <Z>19</Z>
    </Point>
    <Point>
      <X>1700</X>
      <Y>2141</Y>
      <Z>19</Z>
    </Point>
  </CenterLine>

```

```

    <Point>
      <X>1700</X>
      <Y>2141</Y>
      <Z>47</Z>
    </Point>
    <Point>
      <X>1700</X>
      <Y>2107</Y>
      <Z>81</Z>
    </Point>
  </CenterLine>
  <Length>2560</Length>
  <Weight>1.011</Weight>
  <ExtendInfo />
</Bar>
<Bar BarId="19">
  <InstallationOrder>0</InstallationOrder>
  <ReinforcementType>YR</ReinforcementType>
  <Grade>HRB400</Grade>
  <Shape />
  <PieceCount>5</PieceCount>
  <Diameter>8</Diameter>
  <Hook>
    <StartHookAngle>135</StartHookAngle>
    <StartHookRadius>16</StartHookRadius>
    <StartHookLength>87</StartHookLength>
    <EndHookAngle>135</EndHookAngle>
    <EndHookRadius>16</EndHookRadius>
    <EndHookLength>87</EndHookLength>
  </Hook>
  <CenterLine>
    <Point>
      <X>1550</X>
      <Y>-252</Y>
      <Z>81</Z>
    </Point>
    <Point>
      <X>1550</X>
      <Y>-286</Y>
      <Z>47</Z>
    </Point>
    <Point>
      <X>1550</X>
      <Y>-286</Y>
      <Z>19</Z>
    </Point>
    <Point>

```

```

        <X>1550</X>
        <Y>2141</Y>
        <Z>19</Z>
    </Point>
    <Point>
        <X>1550</X>
        <Y>2141</Y>
        <Z>47</Z>
    </Point>
    <Point>
        <X>1550</X>
        <Y>2107</Y>
        <Z>81</Z>
    </Point>
</CenterLine>
<Length>2560</Length>
<Weight>1.011</Weight>
<ExtendInfo />
</Bar>
<Bar BarId="20">
    <InstallationOrder>0</InstallationOrder>
    <ReinforcementType>YR</ReinforcementType>
    <Grade>HRB400</Grade>
    <Shape />
    <PieceCount>5</PieceCount>
    <Diameter>8</Diameter>
    <Hook>
        <StartHookAngle>135</StartHookAngle>
        <StartHookRadius>16</StartHookRadius>
        <StartHookLength>87</StartHookLength>
        <EndHookAngle>135</EndHookAngle>
        <EndHookRadius>16</EndHookRadius>
        <EndHookLength>87</EndHookLength>
    </Hook>
    <CenterLine>
        <Point>
            <X>1400</X>
            <Y>-252</Y>
            <Z>81</Z>
        </Point>
        <Point>
            <X>1400</X>
            <Y>-286</Y>
            <Z>47</Z>
        </Point>
        <Point>
            <X>1400</X>

```

```

        <Y>-286</Y>
        <Z>19</Z>
    </Point>
    <Point>
        <X>1400</X>
        <Y>2141</Y>
        <Z>19</Z>
    </Point>
    <Point>
        <X>1400</X>
        <Y>2141</Y>
        <Z>47</Z>
    </Point>
    <Point>
        <X>1400</X>
        <Y>2107</Y>
        <Z>81</Z>
    </Point>
</CenterLine>
<Length>2560</Length>
<Weight>1.011</Weight>
<ExtendInfo />
</Bar>
<Bar BarId="21">
    <InstallationOrder>0</InstallationOrder>
    <ReinforcementType>YR</ReinforcementType>
    <Grade>HRB400</Grade>
    <Shape />
    <PieceCount>5</PieceCount>
    <Diameter>8</Diameter>
    <Hook>
        <StartHookAngle>135</StartHookAngle>
        <StartHookRadius>16</StartHookRadius>
        <StartHookLength>87</StartHookLength>
        <EndHookAngle>135</EndHookAngle>
        <EndHookRadius>16</EndHookRadius>
        <EndHookLength>87</EndHookLength>
    </Hook>
    <CenterLine>
        <Point>
            <X>1250</X>
            <Y>-252</Y>
            <Z>81</Z>
        </Point>
        <Point>
            <X>1250</X>
            <Y>-286</Y>

```

```

        <Z>47</Z>
    </Point>
    <Point>
        <X>1250</X>
        <Y>-286</Y>
        <Z>19</Z>
    </Point>
    <Point>
        <X>1250</X>
        <Y>2141</Y>
        <Z>19</Z>
    </Point>
    <Point>
        <X>1250</X>
        <Y>2141</Y>
        <Z>47</Z>
    </Point>
    <Point>
        <X>1250</X>
        <Y>2107</Y>
        <Z>81</Z>
    </Point>
</CenterLine>
<Length>2560</Length>
<Weight>1.011</Weight>
<ExtendInfo />
</Bar>
<Bar BarId="22">
    <InstallationOrder>0</InstallationOrder>
    <ReinforcementType>YR</ReinforcementType>
    <Grade>HRB400</Grade>
    <Shape />
    <PieceCount>5</PieceCount>
    <Diameter>8</Diameter>
    <Hook>
        <StartHookAngle>135</StartHookAngle>
        <StartHookRadius>16</StartHookRadius>
        <StartHookLength>87</StartHookLength>
        <EndHookAngle>135</EndHookAngle>
        <EndHookRadius>16</EndHookRadius>
        <EndHookLength>87</EndHookLength>
    </Hook>
    <CenterLine>
        <Point>
            <X>1100</X>
            <Y>-252</Y>
            <Z>81</Z>

```

```

</Point>
<Point>
  <X>1100</X>
  <Y>-286</Y>
  <Z>47</Z>
</Point>
<Point>
  <X>1100</X>
  <Y>-286</Y>
  <Z>19</Z>
</Point>
<Point>
  <X>1100</X>
  <Y>2141</Y>
  <Z>19</Z>
</Point>
<Point>
  <X>1100</X>
  <Y>2141</Y>
  <Z>47</Z>
</Point>
<Point>
  <X>1100</X>
  <Y>2107</Y>
  <Z>81</Z>
</Point>
</CenterLine>
<Length>2560</Length>
<Weight>1.011</Weight>
<ExtendInfo />
</Bar>
<Bar BarId="23">
  <InstallationOrder>0</InstallationOrder>
  <ReinforcementType>YR</ReinforcementType>
  <Grade>HRB400</Grade>
  <Shape />
  <PieceCount>5</PieceCount>
  <Diameter>8</Diameter>
  <Hook>
    <StartHookAngle>135</StartHookAngle>
    <StartHookRadius>16</StartHookRadius>
    <StartHookLength>87</StartHookLength>
    <EndHookAngle>135</EndHookAngle>
    <EndHookRadius>16</EndHookRadius>
    <EndHookLength>87</EndHookLength>
  </Hook>
</CenterLine>

```

```

    <Point>
      <X>950</X>
      <Y>-252</Y>
      <Z>81</Z>
    </Point>
    <Point>
      <X>950</X>
      <Y>-286</Y>
      <Z>47</Z>
    </Point>
    <Point>
      <X>950</X>
      <Y>-286</Y>
      <Z>19</Z>
    </Point>
    <Point>
      <X>950</X>
      <Y>2141</Y>
      <Z>19</Z>
    </Point>
    <Point>
      <X>950</X>
      <Y>2141</Y>
      <Z>47</Z>
    </Point>
    <Point>
      <X>950</X>
      <Y>2107</Y>
      <Z>81</Z>
    </Point>
  </CenterLine>
  <Length>2560</Length>
  <Weight>1.011</Weight>
  <ExtendInfo />
</Bar>
<Bar BarId="24">
  <InstallationOrder>0</InstallationOrder>
  <ReinforcementType>YR</ReinforcementType>
  <Grade>HRB400</Grade>
  <Shape />
  <PieceCount>5</PieceCount>
  <Diameter>8</Diameter>
  <Hook>
    <StartHookAngle>135</StartHookAngle>
    <StartHookRadius>16</StartHookRadius>
    <StartHookLength>87</StartHookLength>
    <EndHookAngle>135</EndHookAngle>
  </Hook>

```

```

        <EndHookRadius>16</EndHookRadius>
        <EndHookLength>87</EndHookLength>
    </Hook>
    <CenterLine>
        <Point>
            <X>800</X>
            <Y>-252</Y>
            <Z>81</Z>
        </Point>
        <Point>
            <X>800</X>
            <Y>-286</Y>
            <Z>47</Z>
        </Point>
        <Point>
            <X>800</X>
            <Y>-286</Y>
            <Z>19</Z>
        </Point>
        <Point>
            <X>800</X>
            <Y>2141</Y>
            <Z>19</Z>
        </Point>
        <Point>
            <X>800</X>
            <Y>2141</Y>
            <Z>47</Z>
        </Point>
        <Point>
            <X>800</X>
            <Y>2107</Y>
            <Z>81</Z>
        </Point>
    </CenterLine>
    <Length>2560</Length>
    <Weight>1.011</Weight>
    <ExtendInfo />
</Bar>
<Bar BarId="25">
    <InstallationOrder>0</InstallationOrder>
    <ReinforcementType>YR</ReinforcementType>
    <Grade>HRB400</Grade>
    <Shape />
    <PieceCount>5</PieceCount>
    <Diameter>8</Diameter>
    <Hook>

```

```

    <StartHookAngle>135</StartHookAngle>
    <StartHookRadius>16</StartHookRadius>
    <StartHookLength>87</StartHookLength>
    <EndHookAngle>135</EndHookAngle>
    <EndHookRadius>16</EndHookRadius>
    <EndHookLength>87</EndHookLength>
  </Hook>
  <CenterLine>
    <Point>
      <X>650</X>
      <Y>-252</Y>
      <Z>81</Z>
    </Point>
    <Point>
      <X>650</X>
      <Y>-286</Y>
      <Z>47</Z>
    </Point>
    <Point>
      <X>650</X>
      <Y>-286</Y>
      <Z>19</Z>
    </Point>
    <Point>
      <X>650</X>
      <Y>2141</Y>
      <Z>19</Z>
    </Point>
    <Point>
      <X>650</X>
      <Y>2141</Y>
      <Z>47</Z>
    </Point>
    <Point>
      <X>650</X>
      <Y>2107</Y>
      <Z>81</Z>
    </Point>
  </CenterLine>
  <Length>2560</Length>
  <Weight>1.011</Weight>
  <ExtendInfo />
</Bar>
<Bar BarId="26">
  <InstallationOrder>0</InstallationOrder>
  <ReinforcementType>YR</ReinforcementType>
  <Grade>HRB400</Grade>

```

```

<Shape />
<PieceCount>5</PieceCount>
<Diameter>8</Diameter>
<Hook>
  <StartHookAngle>135</StartHookAngle>
  <StartHookRadius>16</StartHookRadius>
  <StartHookLength>87</StartHookLength>
  <EndHookAngle>135</EndHookAngle>
  <EndHookRadius>16</EndHookRadius>
  <EndHookLength>87</EndHookLength>
</Hook>
<CenterLine>
  <Point>
    <X>500</X>
    <Y>-252</Y>
    <Z>81</Z>
  </Point>
  <Point>
    <X>500</X>
    <Y>-286</Y>
    <Z>47</Z>
  </Point>
  <Point>
    <X>500</X>
    <Y>-286</Y>
    <Z>19</Z>
  </Point>
  <Point>
    <X>500</X>
    <Y>2141</Y>
    <Z>19</Z>
  </Point>
  <Point>
    <X>500</X>
    <Y>2141</Y>
    <Z>47</Z>
  </Point>
  <Point>
    <X>500</X>
    <Y>2107</Y>
    <Z>81</Z>
  </Point>
</CenterLine>
<Length>2560</Length>
<Weight>1.011</Weight>
<ExtendInfo />
</Bar>

```

```

<Bar BarId="27">
  <InstallationOrder>0</InstallationOrder>
  <ReinforcementType>YR</ReinforcementType>
  <Grade>HRB400</Grade>
  <Shape />
  <PieceCount>5</PieceCount>
  <Diameter>8</Diameter>
  <Hook>
    <StartHookAngle>135</StartHookAngle>
    <StartHookRadius>16</StartHookRadius>
    <StartHookLength>87</StartHookLength>
    <EndHookAngle>135</EndHookAngle>
    <EndHookRadius>16</EndHookRadius>
    <EndHookLength>87</EndHookLength>
  </Hook>
  <CenterLine>
    <Point>
      <X>350</X>
      <Y>-252</Y>
      <Z>81</Z>
    </Point>
    <Point>
      <X>350</X>
      <Y>-286</Y>
      <Z>47</Z>
    </Point>
    <Point>
      <X>350</X>
      <Y>-286</Y>
      <Z>19</Z>
    </Point>
    <Point>
      <X>350</X>
      <Y>2141</Y>
      <Z>19</Z>
    </Point>
    <Point>
      <X>350</X>
      <Y>2141</Y>
      <Z>47</Z>
    </Point>
    <Point>
      <X>350</X>
      <Y>2107</Y>
      <Z>81</Z>
    </Point>
  </CenterLine>

```

```

    <Length>2560</Length>
    <Weight>1.011</Weight>
    <ExtendInfo />
</Bar>
<Bar BarId="28">
    <InstallationOrder>0</InstallationOrder>
    <ReinforcementType>YR</ReinforcementType>
    <Grade>HRB400</Grade>
    <Shape />
    <PieceCount>5</PieceCount>
    <Diameter>8</Diameter>
    <Hook>
        <StartHookAngle>135</StartHookAngle>
        <StartHookRadius>16</StartHookRadius>
        <StartHookLength>87</StartHookLength>
        <EndHookAngle>135</EndHookAngle>
        <EndHookRadius>16</EndHookRadius>
        <EndHookLength>87</EndHookLength>
    </Hook>
    <CenterLine>
        <Point>
            <X>200</X>
            <Y>-252</Y>
            <Z>81</Z>
        </Point>
        <Point>
            <X>200</X>
            <Y>-286</Y>
            <Z>47</Z>
        </Point>
        <Point>
            <X>200</X>
            <Y>-286</Y>
            <Z>19</Z>
        </Point>
        <Point>
            <X>200</X>
            <Y>2141</Y>
            <Z>19</Z>
        </Point>
        <Point>
            <X>200</X>
            <Y>2141</Y>
            <Z>47</Z>
        </Point>
        <Point>
            <X>200</X>

```

```

        <Y>2107</Y>
        <Z>81</Z>
    </Point>
</CenterLine>
<Length>2560</Length>
<Weight>1.011</Weight>
<ExtendInfo />
</Bar>
<Bar BarId="29">
    <InstallationOrder>0</InstallationOrder>
    <ReinforcementType>YR</ReinforcementType>
    <Grade>HRB400</Grade>
    <Shape />
    <PieceCount>5</PieceCount>
    <Diameter>8</Diameter>
    <Hook>
        <StartHookAngle>135</StartHookAngle>
        <StartHookRadius>16</StartHookRadius>
        <StartHookLength>87</StartHookLength>
        <EndHookAngle>135</EndHookAngle>
        <EndHookRadius>16</EndHookRadius>
        <EndHookLength>87</EndHookLength>
    </Hook>
</CenterLine>
    <Point>
        <X>50</X>
        <Y>-252</Y>
        <Z>81</Z>
    </Point>
    <Point>
        <X>50</X>
        <Y>-286</Y>
        <Z>47</Z>
    </Point>
    <Point>
        <X>50</X>
        <Y>-286</Y>
        <Z>19</Z>
    </Point>
    <Point>
        <X>50</X>
        <Y>2141</Y>
        <Z>19</Z>
    </Point>
    <Point>
        <X>50</X>
        <Y>2141</Y>

```

```

        <Z>47</Z>
    </Point>
    <Point>
        <X>50</X>
        <Y>2107</Y>
        <Z>81</Z>
    </Point>
</CenterLine>
<Length>2560</Length>
<Weight>1.011</Weight>
<ExtendInfo />
</Bar>
</MeshBar>
<ExtendInfo />
</Mesh>
<HangStiffener>
    <HangStiffener HangStiffenerId="1">
        <InstallationOrder>0</InstallationOrder>
        <ReinforcementType>吊点加强筋</ReinforcementType>
        <Grade>HRB400</Grade>
        <Shape />
        <Diameter>8</Diameter>
        <CenterLine>
            <Point>
                <X>760</X>
                <Y>1515</Y>
                <Z>35</Z>
            </Point>
            <Point>
                <X>760</X>
                <Y>1795</Y>
                <Z>35</Z>
            </Point>
        </CenterLine>
        <Length>280</Length>
        <Weight>0.111</Weight>
        <ExtendInfo />
    </HangStiffener>
    <HangStiffener HangStiffenerId="2">
        <InstallationOrder>0</InstallationOrder>
        <ReinforcementType>吊点加强筋</ReinforcementType>
        <Grade>HRB400</Grade>
        <Shape />
        <Diameter>8</Diameter>
        <CenterLine>
            <Point>
                <X>560</X>

```

```

        <Y>1515</Y>
        <Z>35</Z>
    </Point>
    <Point>
        <X>560</X>
        <Y>1795</Y>
        <Z>35</Z>
    </Point>
</CenterLine>
<Length>280</Length>
<Weight>0.111</Weight>
<ExtendInfo />
</HangStiffener>
<HangStiffener HangStiffenerId="3">
    <InstallationOrder>0</InstallationOrder>
    <ReinforcementType>吊点加强筋</ReinforcementType>
    <Grade>HRB400</Grade>
    <Shape />
    <Diameter>8</Diameter>
    <CenterLine>
        <Point>
            <X>760</X>
            <Y>60</Y>
            <Z>35</Z>
        </Point>
        <Point>
            <X>760</X>
            <Y>340</Y>
            <Z>35</Z>
        </Point>
    </CenterLine>
    <Length>280</Length>
    <Weight>0.111</Weight>
    <ExtendInfo />
</HangStiffener>
<HangStiffener HangStiffenerId="4">
    <InstallationOrder>0</InstallationOrder>
    <ReinforcementType>吊点加强筋</ReinforcementType>
    <Grade>HRB400</Grade>
    <Shape />
    <Diameter>8</Diameter>
    <CenterLine>
        <Point>
            <X>560</X>
            <Y>60</Y>
            <Z>35</Z>
        </Point>

```

```

    <Point>
      <X>560</X>
      <Y>340</Y>
      <Z>35</Z>
    </Point>
  </CenterLine>
  <Length>280</Length>
  <Weight>0.111</Weight>
  <ExtendInfo />
</HangStiffener>
<HangStiffener HangStiffenerId="5">
  <InstallationOrder>0</InstallationOrder>
  <ReinforcementType>吊点加强筋</ReinforcementType>
  <Grade>HRB400</Grade>
  <Shape />
  <Diameter>8</Diameter>
  <CenterLine>
    <Point>
      <X>2560</X>
      <Y>1515</Y>
      <Z>35</Z>
    </Point>
    <Point>
      <X>2560</X>
      <Y>1795</Y>
      <Z>35</Z>
    </Point>
  </CenterLine>
  <Length>280</Length>
  <Weight>0.111</Weight>
  <ExtendInfo />
</HangStiffener>
<HangStiffener HangStiffenerId="6">
  <InstallationOrder>0</InstallationOrder>
  <ReinforcementType>吊点加强筋</ReinforcementType>
  <Grade>HRB400</Grade>
  <Shape />
  <Diameter>8</Diameter>
  <CenterLine>
    <Point>
      <X>2360</X>
      <Y>1515</Y>
      <Z>35</Z>
    </Point>
    <Point>
      <X>2360</X>
      <Y>1795</Y>

```

```

        <Z>35</Z>
    </Point>
</CenterLine>
<Length>280</Length>
<Weight>0.111</Weight>
<ExtendInfo />
</HangStiffener>
<HangStiffener HangStiffenerId="7">
    <InstallationOrder>0</InstallationOrder>
    <ReinforcementType>吊点加强筋</ReinforcementType>
    <Grade>HRB400</Grade>
    <Shape />
    <Diameter>8</Diameter>
    <CenterLine>
        <Point>
            <X>2560</X>
            <Y>60</Y>
            <Z>35</Z>
        </Point>
        <Point>
            <X>2560</X>
            <Y>340</Y>
            <Z>35</Z>
        </Point>
    </CenterLine>
    <Length>280</Length>
    <Weight>0.111</Weight>
    <ExtendInfo />
</HangStiffener>
<HangStiffener HangStiffenerId="8">
    <InstallationOrder>0</InstallationOrder>
    <ReinforcementType>吊点加强筋</ReinforcementType>
    <Grade>HRB400</Grade>
    <Shape />
    <Diameter>8</Diameter>
    <CenterLine>
        <Point>
            <X>2360</X>
            <Y>60</Y>
            <Z>35</Z>
        </Point>
        <Point>
            <X>2360</X>
            <Y>340</Y>
            <Z>35</Z>
        </Point>
    </CenterLine>

```

```

        <Length>280</Length>
        <Weight>0.111</Weight>
        <ExtendInfo />
    </HangStiffener>
</HangStiffener>
<Girder>
    <!-- 桁架筋 编号 -->
    <Girder GirderId="1">
        <!-- 桁架筋安装顺序 -->
        <InstallationOrder>0</InstallationOrder>
        <!-- 桁架筋定位信息 -->
        <GirderLocation>
            <CenterPoint>
                <X>1510</X>
                <Y>1655</Y>
                <Z>94</Z>
            </CenterPoint>
            <StartPoint>
                <X>10</X>
                <Y>1655</Y>
                <Z>94</Z>
            </StartPoint>
            <EndPoint>
                <X>3010</X>
                <Y>1655</Y>
                <Z>94</Z>
            </EndPoint>
        </GirderLocation>
        <!-- 名称 -->
        <Name>A75</Name>
        <!-- 编码 -->
        <GirderType>30-03.10.10.60</GirderType>
        <!-- 长度 -->
        <Length>3000</Length>
        <!-- 宽度 -->
        <Width>80</Width>
        <!-- 高度 -->
        <Height>75</Height>
        <!-- 重量 -->
        <Weight>5.163</Weight>
        <!-- 扩展信息 -->
        <ExtendInfo />
    </Girder>
    <Girder GirderId="2">
        <InstallationOrder>0</InstallationOrder>
        <Location>
            <CenterPoint>

```

```

        <X>1510</X>
        <Y>1255</Y>
        <Z>94</Z>
    </CenterPoint>
    <StartPoint>
        <X>10</X>
        <Y>1255</Y>
        <Z>94</Z>
    </StartPoint>
    <EndPoint>
        <X>3010</X>
        <Y>1255</Y>
        <Z>94</Z>
    </EndPoint>
</Location>
<Name>A75</Name>
<GirderType>30-03. 10. 10. 60</GirderType>
<Length>3000</Length>
<Width>80</Width>
<Height>75</Height>
<Weight>5. 163</Weight>
<ExtendInfo />
</Girder>
<Girder GirderId="3">
    <InstallationOrder>0</InstallationOrder>
    <Location>
        <CenterPoint>
            <X>1510</X>
            <Y>200</Y>
            <Z>94</Z>
        </CenterPoint>
        <StartPoint>
            <X>10</X>
            <Y>200</Y>
            <Z>94</Z>
        </StartPoint>
        <EndPoint>
            <X>3010</X>
            <Y>200</Y>
            <Z>94</Z>
        </EndPoint>
    </Location>
    <Name>A75</Name>
    <GirderType>30-03. 10. 10. 60</GirderType>
    <Length>3000</Length>
    <Width>80</Width>
    <Height>75</Height>

```

```

        <Weight>5.163</Weight>
        <ExtendInfo />
    </Girder>
    <Girder GirderId="4">
        <InstallationOrder>0</InstallationOrder>
        <Location>
            <CenterPoint>
                <X>1510</X>
                <Y>655</Y>
                <Z>94</Z>
            </CenterPoint>
            <StartPoint>
                <X>10</X>
                <Y>655</Y>
                <Z>94</Z>
            </StartPoint>
            <EndPoint>
                <X>3010</X>
                <Y>655</Y>
                <Z>94</Z>
            </EndPoint>
        </Location>
        <Name>A75</Name>
        <GirderType>30-03.10.10.60</GirderType>
        <Length>3000</Length>
        <Width>80</Width>
        <Height>75</Height>
        <Weight>5.163</Weight>
        <ExtendInfo />
    </Girder>
</Girder>
<ExtendInfo />
</Steel>
<ExtendInfo />
</Slab>
<ExtendInfo />
</ProductInfo>
<ExtendInfo />
</OrderInfo>
<ExtendInfo />
</Project>
</ArrayOfProject>

```